

Reports

10-2021

Virginia Seafood Sustainability

Samantha E. Askin
Virginia Institute of Marine Science

Robert A. Fisher
Virginia Institute of Marine Science

Follow this and additional works at: <https://scholarworks.wm.edu/reports>



Part of the [Aquaculture and Fisheries Commons](#), [Marine Biology Commons](#), and the [Natural Resources and Conservation Commons](#)

Recommended Citation

Askin, S. E., & Fisher, R. A. (2021) Virginia Seafood Sustainability. VIMS marine resource report ; no. 2021-05; Virginia Sea Grant VSG-21-03. Virginia Institute of Marine Science, William & Mary. <https://doi.org/10.25773/9spm-cc51>

This Report is brought to you for free and open access by W&M ScholarWorks. It has been accepted for inclusion in Reports by an authorized administrator of W&M ScholarWorks. For more information, please contact scholarworks@wm.edu.



VIRGINIA SEAFOOD SUSTAINABILITY

OCTOBER 2021

Samantha E. Askin
Robert A. Fisher
Virginia Institute of Marine Science
Marine Advisory Program
Virginia Sea Grant-Affiliated Extension

VIRGINIA SEAFOOD SUSTAINABILITY¹

THIS REPORT WAS REQUESTED BY THE VIRGINIA MARINE PRODUCTS BOARD

Virginia's commercial fisheries operate sustainability under a suite of management tools based upon information received from marine scientists and fishery managers who regularly conduct biological sampling of fish while tracking commercial landings and other gathering of required information. Analyses of fishing effort and overall stock conditions, as well as formulas designed to calculate threshold limits for maintaining sustainable stocks are regularly performed. Restrictions on seasons, size, days at sea, and gear are imposed as needed to achieve management supporting long-term biological sustainability.

Virginia's marine fisheries are managed by the Virginia Marine Resources Commission (VMRC). Virginia wild fisheries have plans to sustain harvests and to rebuild stock sizes fallen below scientifically derived target sustainability levels. Producers provide mandatory information on their harvest levels and practices and are subject to operational monitoring to ensure compliance. The VMRC and National Marine Fisheries Service (NMFS) maintain cooperative law enforcement at the harvest and wholesale distribution levels, enforcing regulations that ensure the chain of custody of seafood products is documented with harvesters and seafood dealers.

Virginia shellfish aquaculture products are grown and harvested under strict regulation by the VMRC and the Virginia Department of Health (VDH), Division of Shellfish Sanitation, which includes mandatory educational training on safe harvest and handling for harvesters and dealers. In addition, there are educational resources such as Best Management Practices (BMPs) developed for Virginia's shellfish culture industry that encourage and support sustainable practices.

All migratory fish moving through Virginia coastal waters are co-managed with the Atlantic States Marine Fisheries Commission (ASMFC). Through interstate fishery management plans, the ASMFC oversees 27 species of marine fish (including sharks) and promulgates regulations for those species that all Atlantic Coast states must follow. Fish that primarily inhabit offshore waters (more than three miles off the Virginia coast) are managed by the Mid-Atlantic Fishery Management Council (MAFMC), part of NMFS. Other states represented in the Mid-Atlantic region include North Carolina, Maryland, Delaware, Pennsylvania, New Jersey, and New York. The MAFMC currently manages 13 offshore marine fish species, including Atlantic mackerel, butterfish, spiny dogfish, surf clam, tilefish, bluefish, summer flounder, and black sea bass. Highly migratory species, such as swordfish, are managed in federal waters directly by the National Marine Fisheries Service (NMFS). Additionally, other import products, such as the Atlantic sea scallop, are co-managed by the MAFMC and the New England Fishery Management Council (NEFMC).

¹Source: Marine Advisory Program at the Virginia Institute of Marine Science, College of William & Mary. Previous versions of this report include: March 2018 (VIMS Marine Resource Report No. 2018-2), May 2015 (VIMS Marine Resource Report No. 2015-5) and January 2011 (VIMS Marine Resource Report No. 2011-1).

SUMMARY OF SUSTAINABILITY MEASURES FOR PRIMARY VIRGINIA MARINE FISHERY PRODUCTS²

Common Name	Scientific Name	Management Agencies	Size Limit	Quota	Overfished	Gear Limits	Seasonal Closures
Black Sea Bass	<i>Centropristis striata</i>	ASMFC, MAFMC	Y	Y	N	Y	Y
Bluefish	<i>Pomatomus saltatrix</i>	ASMFC, MAFMC	N	Y	Y	N	N
Butterfish	<i>Peprilus triacanthus</i>	MAFMC	N	Y	N	Y	Y
Catfish, Blue	<i>Ictalurus furcatus</i>	VDWR	N	Y	N	N	N
Crab, Blue	<i>Callinectes sapidus</i>	Ches. Bay Watershed Agreement ³	Y	Y	N	Y	Y
Crab, Blue (softshell)	<i>Callinectes sapidus</i>	VMRC	Y	N	N	Y	Y
Crab, Red	<i>Chaceon quinquegens</i>	NEFMC	Male Only Fishery	Y	N	Y	N/A
Croaker	<i>Micropogonias undulatus</i>	ASMFC, VMRC	N	N	Unknown	N	Y
Dogfish, Spiny	<i>Squalus acanthias</i>	ASMFC, MAFMC	N	Y	N	Y	Y
Eastern Oyster (aquaculture)	<i>Crassostrea virginica</i>	VMRC, VDH	N	N	N	Y	N
Easter Oyster (wild)	<i>Crassostrea virginica</i>	VMRC, VDH	Y	N	N	Y	Y
Flounder, Summer	<i>Paralichthys dentatus</i>	ASMFC, MAFMC	Y	Y	N	Y	Y
Grey Trout / Weakfish	<i>Cynoscion regalis</i>	ASMFC	Y	N	N	Y	Y
Hard Clam (aquaculture)	<i>Mercenaria mercenaria</i>	VMRC, VDH	N	N	N	N	N
Hard Clam (wild)	<i>Mercenaria mercenaria</i>	VMRC	Y	N	N	N/A	N
Monkfish / Goosefish	<i>Lophius americanus</i>	MAFMC, NEFMC	Y	Y	N	Y	Y
Scallop, Atlantic Sea	<i>Placopecten magellanicus</i>	NEFMC, NOAA	Y	Y	N	Y	Y (areas)
Northern Puffer / Sugar Toad	<i>Sphoeroides maculatus</i>	N/A	N	N	Unknown	N	N
Scup / Porgy	<i>Stenotomus chrysops</i>	ASMFC, MAFMC	Y	Y	N	Y	Y
Spot	<i>Leiostomus xanthurus</i>	ASMFC	N	N	Unknown	N	N
Spotted Seatrout / Speckled Trout	<i>Cynoscion nebulosus</i>	ASMFC	Y	Y	N	N	N
Striped Bass	<i>Morone saxatilis</i>	ASMFC	Y	Y	N	N	Y
Whelk, Channeled	<i>Busycotypus canaliculatus</i>	VMRC	Y	Y	N	Y	N

²Sources: NOAA National Marine Fisheries Service (NMFS), New England Fishery Management Council (NEFMC), Mid-Atlantic Fishery Management Council (MAFMC), Atlantic States Marine Fisheries Commission (ASMFC), Virginia Marine Resources Commission (VMRC).

³The Chesapeake Bay blue crab fishery is managed by three jurisdictions: State of Maryland, Commonwealth of Virginia, and Potomac River Fisheries Commission, all participating in the Chesapeake Bay Watershed Agreement.

https://www.chesapeakebay.net/documents/22029/1a_blue_crab_6-24-15_ff_formatted.pdf

RESOURCES

ATLANTIC STATES MARINE FISHERIES COMMISSION (ASMFC)

<http://www.asafc.org/>

MID-ATLANTIC FISHERY MANAGEMENT COUNCIL

<http://www.mafmc.org/>

- Summer Flounder, Scup, Black Sea Bass: <http://www.mafmc.org/sf-s-bsb/>
- Atlantic Mackerel, Squid, Butterfish: <http://www.mafmc.org/msb/>

NEW ENGLAND FISHERY MANAGEMENT COUNCIL (NEFMC)

<https://www.nefmc.org/>

NOAA NATIONAL MARINE FISHERIES SERVICE (NMFS)

<https://www.fisheries.noaa.gov/welcome>

- Greater Atlantic Region: Atlantic Mackerel, Squid, Butterfish: <https://www.fisheries.noaa.gov/management-plan/atlantic-mackerel-squid-and-butterfish-management-plan>

VIRGINIA MARINE RESOURCES COMMISSION (VMRC)

<http://www.mrc.state.va.us/>

- <http://www.mrc.state.va.us/fmac/fmoverview.shtm>
- Black Sea Bass, Bluefish, Dogfish (spiny), Flounder (summer), Grey Trout (weakfish), Monkfish/Goosefish, Spotted Seatrout/Speckled Trout: <http://www.mrc.virginia.gov/Regulations/regindex.shtm#finfish>

NOAA FISHWATCH (U.S. SEAFOOD FACTS)

<https://www.fishwatch.gov/>

BLACK SEA BASS

- <http://www.asafc.org/species/black-sea-bass>
- <http://www.mafmc.org/sf-s-bsb/>
- <https://www.fisheries.noaa.gov/species/black-sea-bass>
- <https://www.fishwatch.gov/profiles/black-sea-bass>
- <http://www.mrc.state.va.us/Regulations/fr950.shtm>

BLUEFISH

- <http://www.asafc.org/species/bluefish>
- <http://www.mafmc.org/bluefish/>
- <https://www.fisheries.noaa.gov/species/bluefish>
- <https://www.fishwatch.gov/profiles/bluefish>
- <http://www.mrc.state.va.us/Regulations/fr450.shtm>

BUTTERFISH

- <http://www.mafmc.org/msb/>
- <https://www.fisheries.noaa.gov/species/butterfish>
- <https://www.fishwatch.gov/profiles/butterfish>

CATFISH, BLUE

- https://www.chesapeakebay.net/S=0/fieldguide/critter/blue_catfish
- https://www.chesapeakebay.net/documents/Invasive_Catfish_Management_Strategy_Aug_2020_final.pdf
- <https://www.seafoodwatch.org/recommendation/catfish/green-catfish-blue-catfish-united-states-chesapeake-bay-set-gillnets?species=134>
- <https://webapps.mrc.virginia.gov/public/reports/swrecfishingrules.php>
- <https://dwr.virginia.gov/wp-content/uploads/media/creel-and-length-limits.pdf>

CRAB, BLUE

- <http://www.mrc.state.va.us/Regulations/regindex.shtm#crab>
- <http://www.mrc.state.va.us/regulations/fr270.shtm>

CRAB, RED

- <https://www.nefmc.org/management-plans/red-crab>
- <https://www.fisheries.noaa.gov/species/atlantic-deep-sea-red-crab>
- https://s3.amazonaws.com/nefmc.org/NEFMC-Approves-2020-2023-Atlantic-Deep-Sea-Red-Crab-Specs_190924_152811.pdf

CROAKER

- <http://www.asafc.org/species/atlantic-croaker>

DOGFISH, SPINY

- <http://www.asafc.org/species/spiny-dogfish>
- <http://www.mafmc.org/dogfish/>
- <https://www.nefmc.org/management-plans/dogfish>
- <https://www.fisheries.noaa.gov/species/atlantic-spiny-dogfish>
- <https://www.fishwatch.gov/profiles/atlantic-spiny-dogfish>
- <http://www.mrc.state.va.us/regulations/fr490.shtm>

EASTERN OYSTER (WILD)

- <http://www.mrc.state.va.us/Regulations/regindex.shtm#oyster>
- <https://mrc.virginia.gov/regulations/fr720.shtm>

EASTERN OYSTER (HATCHERY-BASED AQUACULTURE)

- <https://www.fishwatch.gov/profiles/eastern-oyster-farmed>
- http://www.mrc.virginia.gov/Shellfish_Aquaculture.shtm
- Best Management Practices:
 - o http://www.vims.edu/research/units/centerspartners/map/aquaculture/docs_aqua/MRR_2008_10.pdf
 - o <https://www.fda.gov/food/federalstate-food-programs/national-shellfish-sanitation-program-nssp>

FLOUNDER, SUMMER

- <http://www.asafc.org/species/summer-flounder>
- <http://www.mafmc.org/sf-s-bsb/>
- <https://www.fisheries.noaa.gov/species/summer-flounder>
- <https://www.fishwatch.gov/profiles/summer-flounder>
- <http://www.mrc.state.va.us/regulations/fr620.shtm>

RESOURCES

GREY TROUT / WEAKFISH

- <http://www.mrc.state.va.us/regulations/fr380.shtm>

HARD CLAM (WILD)

- <https://mrc.virginia.gov/regulations/regindex.shtm#clam>

HARD CLAM (HATCHERY-BASED AQUACULTURE)

- <https://www.fishwatch.gov/profiles/northern-quahog>
- http://www.mrc.virginia.gov/Shellfish_Aquaculture.shtm
- Best Management Practices:
 - o http://www.vims.edu/research/units/centerspartners/map/aquaculture/docs_aqua/MRR_2008_10.pdf
 - o <https://www.fda.gov/food/federalstate-food-programs/national-shellfish-sanitation-program-nssp>

MONKFISH / GOOSEFISH

- <http://www.mafmc.org/monkfish/>
- <https://www.nefmc.org/management-plans/monkfish>
- <https://www.fisheries.noaa.gov/species/monkfish>
- <https://www.fishwatch.gov/profiles/monkfish>
- <http://www.mrc.state.va.us/regulations/fr1080.shtm>

SCALLOP, ATLANTIC SEA

- <https://www.nefmc.org/management-plans/scallops>
- <https://www.fisheries.noaa.gov/species/atlantic-sea-scallop>
- <https://www.fishwatch.gov/profiles/atlantic-sea-scallop>

SPOT

- <http://www.asmfc.org/species/spot>

SPOTTED SEATROUT / SPECKLED TROUT

- <http://www.asmfc.org/species/spotted-seatROUT>
- <http://www.mrc.state.va.us/regulations/fr280.shtm>

STRIPED BASS

- <http://www.asmfc.org/species/atlantic-striped-bass>
- <https://www.fisheries.noaa.gov/species/atlantic-striped-bass>
- <https://www.fishwatch.gov/profiles/atlantic-striped-bass>
- <http://www.mrc.state.va.us/regulations/fr252.shtm>

WHELK, CHanneLED

- <http://www.mrc.state.va.us/regulations/fr890.shtm>

Additional copies of this publication are available from:



P.O. Box 1346 | Gloucester Point, VA 23062

Phone: 804.684.7164

Website:

<https://www.vims.edu/research/units/centerspartners/map/index.php>

This work is a result of research sponsored in part by NOAA Office of Sea Grant, U.S.

Department of Commerce, under Grant No. NA180AR4170083 to the Virginia Sea Grant Program. The views expressed herein do not necessarily reflect the views of any of those organizations.

